



1 PLUMBING SITE PLAN

SCALE: 1/20" = 1'-0"

NOTES BY SYMBOL "⊙"

1. 6" SANITARY, I.E. ⊙ 4'-0" BFF. RE: CIVIL FOR CONTINUATION.
2. 3" DOMESTIC WATER. RE: CIVIL FOR CONTINUATION.
3. 1-1/2" MEDIUM PRESSURE GAS. RE: CIVIL FOR CONTINUATION.
4. 4" FIRE LINE. RE: CIVIL FOR CONTINUATION.
5. 1-1/2" COLD WATER TO POOL. COORDINATE WITH POOL EQUIPMENT CONTRACTOR.
6. 4" SANITARY TO POOL. COORDINATE WITH POOL CONTRACTOR.
7. 1-1/2" LOW PRESSURE GAS. COORDINATE WITH POOL CONTRACTOR.

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY JAMES SIDNEY HARVEY
P.E. #4127 ON MAY 24, 2010 FOR THE PURPOSES OF SIGNING, SEALING &
RENEWING HIS PROFESSIONAL ENGINEERING LICENSE IN THE STATE OF TEXAS.
IF THE ABOVE ENGINEER IS AN OFFENSE TO THE TEXAS STATE BOARD RULES



ARK Engineer and Consultants Inc. (FIRM #4127)
2604 Westerland Drive, #309, Houston, Texas 77063
Ph.832.236.7165, Fax.832.218.9181
e-mail address: jharveyr@arkengineer.com

R S S ARCHITECTS LLC.	2201 DOTTIE LYNN PKWY. SUITE 145	
	FORT WORTH, TEXAS 76120	
	PH: 817/640-9003	FAX: 817/649-8410
Date	02-17-10	
Reviewed		
Drawn		
Job	08060	
Sheet	PS1	
Of	Sheets	



LaQuinta Inn and Suites
MARKET CENTER – LOCATION 6482
DALLAS, TEXAS

REVISIONS	BY